

**HANDLING AND PRECAUTIONS**  
Furadan® 5G is dust free and can be handled with minimum protective clothing (i.e. light overalls, boots and cloth-lined rubber gloves). When handling do not rub eyes, wipe face, eat, smoke or drink. After handling remove work clothes, wash thoroughly with water and soap and change into clean clothes. Contaminated work clothes should be laundered before re-use.

**STORAGE**  
Store in tightly closed clearly labeled original containers under lock and key and away from children, animals, unauthorized personnel, food and foodstuffs. Do not store near sources of heat or fire.

**DISPOSAL**  
Do not re-use container for any other purpose. Puncture, crush and burn or bury empty product container away from water sources. Do not pour unused product into waterways. Accidental spills should be collected by a vacuum cleaner or swept gently and collected avoiding dispersion of the granules. Remove the broken containers and decontaminate the area by covering with liberal quantities of hydrated lime or soda ash. Collect all into an open head drum for burying or burning. Finally, wash the contaminated area with decontamination solution and water draining away from water sources. Wear protective clothing while handling spills, (including cap, long-sleeved shirt, trousers or overalls, shoes and rubber gloves, goggles and dust mask).

**ENVIRONMENTAL HAZARDS**  
Furadan® 5G is toxic to fish and should not be poured directly into water courses. The product is toxic to birds, livestock and wild game if ingested. However crops treated at recommended rates do not present any hazards to livestock or foraging bees.

**FIRST AID**  
Personnel attending to the poisoned victim must avoid contamination with vomitus or any other source of toxicant. Wear rubber gloves while decontaminating the victim.

**If Ingested:** induce vomiting in the conscious individual by giving one or two glasses of water and tickling the back of their throat with a clean finger.

**If in eye:** Flush the eye thoroughly with clean water for at least 15 minutes.

**If on skin:** Remove contaminated clothing. Wash skin thoroughly with water and soap. In all cases obtain medical treatment immediately.

**TO THE DOCTOR**  
Furadan® is a reversible cholinesterase inhibitor. Treat with 2mg atropine sulphate intramuscularly every 10 minutes until signs of full atropinization occur. Do not use oximes such as 2-PAM.

**NOTICE TO USER**  
This pest control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use or store a pest control product under unsafe conditions.

**WARRANTY**  
Sellers guarantee is limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

**DESCRIPTION**  
Furadan® 5G is a systemic insecticide/nematicide for the control of soil insects & nematodes pests as well as early foliar feeding insects on coffee, bananas, vegetable, maize, pineapples & beans.

**DIRECTIONS FOR USE**  
Furadan® 5G is soil applied. The product can be applied pre-plant, at planting or post-plant. In all cases ensure adequate moisture during or immediately after application. Pre-plant application is done as broadcast or band over the row before planting. The granules should then be incorporated into 3 to 5cm of the top soil. At planting, Furadan® 5G can be placed in the furrow with seed or mixed with the covering soil. Post-plant application is done as a band over the row crop or side dressing on both sides of the row and worked lightly into the soil. For perennial crops, a semi circular or circular band around each plant is applied and worked into the soil.

**CROP PESTS**  
**COFFEE:** Leaf miner, Root Knot Nematodes, Root Weevil, Scales (cottony and fried egg), Whitegrubs, Cotton Aphid, White Grub, Cutworm, Root Nematodes

**POTATOES:** Tubermoth, Green Aphid, Potato Aphid, White Grub, Cutworm, Root Nematodes

**MAIZE:** Maize Stalk Borer, Spotted Stalk Borer, Coastal Stalk Borer, Pink Stalk Borer, Armyworm, White Grub, Leaf Hopper/Vegeter for maize streak virus, Maize Aphid, Epilachna Beetle, Cutworm.

**VEGETABLES:** (Cabbage, Turnips, beans, peppers, peas, okra, brinjals, tomatoes, Onions, etc.)

Bagrada Bug, Diamond Back Moth, Cabbage Aphid, Cabbage Sawfly, Bean Aphid, Bean Leaf Thrips, Onion Thrips, Striped Blister Beetle, Whitefly, Boll Worms, Golden Wing Moth, Maruca Pod Borer, Bean Fly, Cotton Aphid, Green Peach Aphid, Cutworm, White Grubs, Root Knot Nematodes.

**BANANAS:** Banana Weevil, Burrowing Nematodes, Root Leision, Nematode Banana Thrips, Red Pyrethrum Mite, Root Nematodes.

**TOBACCO:** Tobacco Whitefly, Green Peach Aphid, African Boll Worm, Tobacco Stem Borer, Cutworms, Root Nematodes, Tobacco Cricket.

**NURSERIES:** (NB: including Kates Sukuma) White Cutworm, Wire Worms, Black Cereal Beetle, White Grub, Mole Cricket, Dusty Ground Beetle, Armyworm, Root Knot Nematodes.

**Do not apply on paddy rice in order to avoid bird poisoning**

**Furadan® 5G**  
INSECTICIDE/NEMATICIDE/MITICIDE  
For the control of many important soil and foliar pests of agricultural crops

**GUARANTEE**  
Contains: 5% w/w Carbenthran 10% w/w Inerts

Commercial and Agricultural class  
Reg. No.: PCPBP(CR) 0046



**READ THE LABEL BEFORE USING SOMA MAELEZO KABLA YA KUTUMIA.**

**CAUTION HARMFUL TO MAN**  
**TAHADHARI INAWEZA KUDHURU**

**KEEP LOCKED AWAY FROM REACH OF CHILDREN**  
**IFUNGIE MBALI NA WATOTO**

**Batch No.:**  
**Date of man.:**  
**Shelf life:** 3 years in original unopened container after date of manufacture in a cool dry place

**Maisha rafiki:** mika 3 baada ya tarehe ya kutengereza kwenye chombo chake alisi mahali pakavu na pasipo na joto jingi

**A Product from:**  
**JUANCO SFS LTD.**  
Juanco Centre, Ngong Rd., Ngong Hills  
PO Box 2701, Nairobi 00100, Kenya  
Tel: +254 (20) 2088754, 2088755  
2088789, 2088754, 2048774, 3002398  
Fax: +254 (20) 2088793  
Mobiles: +254 (722) 207805, 207806  
Email: info@juancogroup.com  
Website: www.juancogroup.com



**Manufactured by: FMC Corporation.**  
Furadan® is a registered trade mark of FMC Corporation



**HADHARI ZA UBEBAJI NA UTUMIAJI**  
Furadan® 5G haina uchafu wa vumbi, yaweza kubeba kwa tahadhari kidogo, ya nguvu za kinga (miano, ovaro, nyepesi, buti na giavu za raba zilozowekewa kiamba).

Unapozihuhukika nayo, usifute macho, kupangusa uso, kula, kuvuia sigara au kunywa chochote, baada ya shuhuli, vua nguvu zote za kazi, zingine vizini kwa maji ya sabuni, kisha vaa nguvu zingine safi. Nguvu zilizochochuka wakati wa kazi zidilivie na kupigwa pasi kwanza kabla haujulizumiama tena.

**UMEKAJI**  
Furadan® 5G iwekwe katika chombo chake asili imetungwa vizuri kwa kufurifi mbali, na warapokika watoto, mitugo, watu wasihihi, na chakula pia vilishi vya mitugo. Usiweke karibu na viwanjo vya joto au moto.

**UTUMIAJI**  
Chombo kilichokwisha dawa usikitumie kwa matumizi mengine yoyote. Kipooe, kuvunjie na kukichoma au kukiukua mbali na viwanjo vya maji. Dawa ambayo haliyomwagika usimwage katika njia ya maji. Dawa iliyomwagika kwa bahati mabaya lazima ikusanywe kwa kutumia kisafishaji cha vumbi cha vacuum au kurugia ukusanywa taratibu ukitahadhar mtawanyiko oyo wa punje. Yombo ya dawa vilivyovunjika viondoe na kuisafisha sehemu iliyochafu kwa kutumia na chokaa majimaji au juu la magari. Uchafu wote ukusanywe na kuungiza katika pipa layari kwa kufurika au kuchocha. Mwisho pipa lililochafuwa loshe kwa mnyusho maalum wa kutakasia pamoja na maji vyo vikichoruzika mbali na viwanjo vya maji. Vaa nguvu za kinga unapozihuhukika mahali kwenye uchafu wa dawa.

**DHARA KWAMA Mazingira**  
Furadan® 5G ni sumu kwa samaki na isimwagilie moja kwa moja katika njia za maji. Dawa hi ni sumu kwa redege, mitugo, na wanyanya wa pori. Hata mnyomimea ilipotumika dawa hi kwa vipingo au nyuki wanaoibemba hata uva ya kazi.

**HUDUMA YA KWANZA**  
Watu wanaomhudumia mgonjwa liyepatwa na suru wasidhurue kupitia mlipishi yake au njia nyingine inayoweza kusambaza suru hiyo. Vaa giavu za raba wakati wa kusafisha mgonjwa.

**Endapo imemezwa:** Mianye mgonjwa akwa bado lahamu alepke kwa kumpa giavu moja au maji za maji na kuingiza kiole safi momoni kikelekezwa looni.

**Kingi la Ichroni:** Jicho loshe vizuri kwa maji safi kwa uchache wa dakika 15.

**Ikuvuna ndani:** Mgonjwa mweke mahali paipo na hewa safi.

**Ikimwagika ngozi:** nguvu zilizochochuka zivue sabuni, kwa namna yoyote ile pata matibabu ya daktari taraka.

**LAWI KWAMUTUMIAJI**  
Dawa hi sharti liumwe, kulingana na maagizo yaliyo kwenye kabadiriki. Ni hatia chini ya Sheria ya madawa ya kuangamiza wadudu wahalali, kutumia au kuhifadhi dawa hi katika hali iliyosafama.

**THIBITISHO**  
Dhamana ya muuzaji ni maelezo yaliyo kwenye kabadiriki amplayo ni lazima yaliatawe kikanali. Mununuzi lazima akubali hatai zozote zinazoweza kurukana na matumizi ya dawa hi kwa binadamu au mali na lazima akubali dawa hi katika hali hiyo.

**JINZI YA KUTUMIA**  
Furadan® 5G hutumiwa kwenye udongo. Dawa yaweza kutumiwa kabla, wakati au baada ya kupanda. Mara zote hakikisha upo unyewe wa kutosha wakati au mara tu baada ya kutumia. Matumizi ya dawa kabla ya kupanda ni kwa njia ya kutawanya au kutimwaga matutani. Punje zake zichanganwe vizuri kwenye udongo wa juu kina cha cm. 3 hadi 5. Wakati wa kupanda ni kwa njia ya kuawanya au kimmwaga mayuni. Punje zake zichanganwe vizuri kwenye udongo wa juu kina cha 3 hadi 5. Wakati wa kupanda Furadan® 5G yaweza kutumika katika mikondo yenye mbevu au kuchanganayawa na udongo wa kutumika. Matumizi baada ya kupanda hutumika kwa kuimwaga juu ya mstan wa mimea iliyo pandwa au kuimwagilia pande zote za laini huku ikichanganywa taratibu udongo. Katika mimea ya kudumu dawa iwekewe kuzunguka kamili au nusu kwa kila mimea kichanganayshwa udongo.

Furadan® huhibili wadudu wa udongo kwa njia ya mguuso wa wadudu wa kwenye majani kwa muingilio taratibu wa ndani kwa ndani.

**MIMEA KAHAWA:**  
Tia, gm 40 ya punje za Furadan® 5G kwa hali ya kulitawisha diara la Kivuli cha majani ya miti na ichanganwe udongo mara moja kwa mwaka wakati wa zikanza.

**VIAZI:**  
Tia gm 1 ya punje za Furadan® 5G kuzungushia kila mbevu wakati wa kupanda kabla Nematodes, hujazitumika kwa udongo.

**MAHINDI:**  
Tia gm 2 ya punje za Furadan® 5G kuzungushia kila mbevu wakati wa kupanda kabla hujazitumika kwa udongo.

**MBOGA:**  
Tia gm 1 ya punje za Furadan® 5G kataka shimo la kupanda kabla ya kupanda au kupandikiza.

**NDZI:**  
Mara mbili kwa mwaka mwanzoni mwa mvua, tia gm 60 za Furadan® 5G kuzungushia kila shimo (niche 3-4) baada ya kuondoa majani na changanyo udongo.

**PARETO:**  
Mara mbili katika mwaka mwanzoni mwa mvua, tia gm 1 ya punje za Furadan® 5G kuzungushia kila mbea na changanyo shimo na udongo.

**TUMBAKU:** Wakati ukpandiki gm 2 ya punje za Furadan® 5G kuzungushia kila mbea na shimo la Furadan® 5G changanyo na udongo.

**VITALUMICHE:** Tawanya gm. 20 za Furadan® 5G katika kila Kales mila mamba na changanya taratibu katika kitalu kabla ya kupanda.

**Ustumie kwa kukuza mchele wa majini ili uzule usaji wa ndege**